EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L47	2	46 and 24	US-PGPUB; USPAT	OR	OFF	2010/04/09 15:49
L46	101	39 40 41 42	US-PGPUB; USPAT	OR	OFF	2010/04/09 15:49
L45	24	43 and 41	US-PGPUB; USPAT	OR	OFF	2010/04/09 15:49
L44	38	43 and 39	US-PGPUB; USPAT	OR	OFF	2010/04/09 15:49
L43	172640	microwave	US-PGPUB; USPAT	OR	OFF	2010/04/09 15:48
L42	0	38 and 29	US-PGPUB; USPAT	OR	OFF	2010/04/09 15:48
L41	42	38 and 28	US-PGPUB; USPAT	OR	OFF	2010/04/09 15:48
L40	8	38 and 27	US-PGPUB; USPAT	OR	OFF	2010/04/09 15:48
L39	79	38 and 26	US-PGPUB; USPAT	OR	OFF	2010/04/09 15:48
L38	15817	(phase and (magnitude amplitude)) and (impedance with (match matching))	US-PGPUB; USPAT	OR	OFF	2010/04/09 15:48
L37	0	20 and 29	US-PGPUB; USPAT	OR	OFF	2010/04/09 15:47
L36	0	20 and 28	US-PGPUB; USPAT	OR	OFF	2010/04/09 15:47
L35	0	20 and 27	US-PGPUB; USPAT	OR	OFF	2010/04/09 15:47
L34	3	20 and 26	US-PGPUB; USPAT	OR	OFF	2010/04/09 15:47
L33	0	11 and 29	US-PGPUB; USPAT	OR	OFF	2010/04/09 15:47
L32	0	11 and 28	US-PGPUB; USPAT	OR	OFF	2010/04/09 15:47
L31	0	11 and 27	US-PGPUB; USPAT	OR	OFF	2010/04/09 15:47
L30	1	11 and 26	US-PGPUB; USPAT	OR	OFF	2010/04/09 15:47
L29	419	607/106,107.ccls.	US-PGPUB; USPAT	OR	OFF	2010/04/09 15:44

L28	4306	606/41,42.ccls.	US-PGPUB; USPAT	OR	OFF	2010/04/09 15:44
L27	179	606/38.ccls.	US-PGPUB; USPAT	OR	OFF	2010/04/09 15:44
L26	1392	606/33,34.ccls.	US-PGPUB; USPAT	OR	OFF	2010/04/09 15:44
L25	1	("20020145483").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/04/09 15:14
L24	19	23 and ghz	US-PGPUB; USPAT	OR	OFF	2010/04/09 14:44
L23	28	(US-20020112819-$ or US-20020158212-$ or US-20020105455-$ or US-20050256519-$).did. or (US-5113065-$ or US-3924152-$ or US-5675259-$ or US-5621331-$ or US-5519359-$ or US-6020795-$ or US-6236366-$ or US-6256130-$ or US-4059803-$ or US-5991605-$ or US-5704355-$ or US-4627442-$ or US-6890331-$ or US-5788692-$ or US-7226446-$ or US-6673068-$ or US-6471696-$ or US-4315510-$ or US-5364392-$ or US-6802840-$ or US-5405346-$ or US-6233490-$ or US-6104959-$ or US-5957969-$).did.	US-PGPUB; USPAT	OR	OFF	2010/04/09 14:44
L22	23	21 and 8	US-PGPUB; USPAT	OR	OFF	2010/04/09 14:31
L21	42	20 and (local near oscillator)	US-PGPUB; USPAT	OR	OFF	2010/04/09 14:31
L20	305	(phase and (magnitude amplitude)) same (reflect $3 reflectance) same (impedance with (match matching))	US-PGPUB; USPAT	OR	OFF	2010/04/09 14:30
L19	10	18 and 8	US-PGPUB; USPAT	OR	OFF	2010/04/09 14:11
L18	20	17 same (local near oscillator)	US-PGPUB; USPAT	OR	OFF	2010/04/09 14:11
L17	1824	phase with (impedance near (match matching))	US-PGPUB; USPAT	OR	OFF	2010/04/09 14:11
L16	11	15 and 8	US-PGPUB; USPAT	OR	OFF	2010/04/09 14:06
L15	23	14 and tuning	US-PGPUB; USPAT	OR	OFF	2010/04/09 14:06

L14	67	(heterodyne heterodyning) same (phase) same (impedance)	US-PGPUB; USPAT	OR	OFF	2010/04/09 14:06
L13	34	12 and 8	US-PGPUB; USPAT	OR	OFF	2010/04/09 13:19
L12	81	11 and (local near oscillator)	US-PGPUB; USPAT	OR	OFF	2010/04/09 13:19
L11	528	(phase and (magnitude amplitude)) same (reflect $3 reflectance) same (reduce minimize prevent improve) with (signal noise interference)	US-PGPUB; USPAT	OR	OFF	2010/04/09 13:19
L10	27	9 and (impedance)	US-PGPUB; USPAT	OR	OFF	2010/04/09 13:10
L9	67	7 and L8	US-PGPUB; USPAT	OR	OFF	2010/04/09 13:10
L8	4082506	@ad<"20021127"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/04/09 13:10
L7	125	6 and microwave	US-PGPUB; USPAT	OR	OFF	2010/04/09 13:10
L6	296	(local with oscillator) same (phase and (magnitude amplitude)) same reflect$3	US-PGPUB; USPAT	OR	OFF	2010/04/09 13:10
L5	10	4 and microwave and (phase same (amplitude magnitude))	US-PGPUB; USPAT	OR	OFF	2010/04/09 12:49
L4	28	(US-20020112819-$ or US-20020105455-$ or US-20020158212-$ or US-20050256519-$).did. or (US-5788692-$ or US-7226446-$ or US-6802840-$ or US-6673068-$ or US-6471696-$ or US-6233490-$ or US-5405346-$ or US-5364392-$ or US-4315510-$ or US-4627442-$ or US-6020795-$ or US-5957969-$ or US-6890331-$ or US-5519359-$ or US-4059803-$ or US-5675259-$ or US-5704355-$ or US-6236366-$ or US-6256130-$ or US-5113065-$ or US-6104959-$ or US-5991605-$ or US-3924152-$ or US-5621331-$).did.	US-PGPUB; USPAT	OR	OFF	2010/04/09 12:49
L3	14	L2 and (local)	US-PGPUB; USPAT	OR	OFF	2010/04/09 12:41

L2	30	(US-20020112819-$ or US-20020105455-$ or US-20060273255-$ or US-20020158212-$ or US-20050256519-$ or US-20020077627-$).did. or (US-5788692-$ or US-7226446-$ or US-6802840-$ or US-6673068-$ or US-6471696-$ or US-6233490-$ or US-5405346-$ or US-5364392-$ or US-4315510-$ or US-4627442-$ or US-6020795-$ or US-5957969-$ or US-6890331-$ or US-5519359-$ or US-4059803-$ or US-5675259-$ or US-5704355-$ or US-6236366-$ or US-6256130-$ or US-5113065-$ or US-6104959-$ or US-5991605-$ or US-3924152-$ or US-5621331-$).did.	US-PGPUB; USPAT	OR	OFF	2010/04/09 12:41
S290	6	S289 and (reflect$3)	US-PGPUB; USPAT	OR	OFF	2010/04/09 11:01
S289	8	S288 and (local)	US-PGPUB; USPAT	OR	OFF	2010/04/09 11:01
S288	12	S287 and microwave	US-PGPUB; USPAT	OR	OFF	2010/04/09 11:00
S287	13	S286 and (phase same (amplitude magnitude))	US-PGPUB; USPAT	OR	OFF	2010/04/09 11:00
S286	30	(US-20020112819-$ or US-20020105455-$ or US-20060273255-$ or US-20020158212-$ or US-20050256519-$ or US-20020077627-$).did. or (US-5788692-$ or US-7226446-$ or US-6802840-$ or US-6673068-$ or US-6471696-$ or US-6233490-$ or US-5405346-$ or US-5364392-$ or US-4315510-$ or US-4627442-$ or US-6020795-$ or US-5957969-$ or US-6890331-$ or US-5519359-$ or US-4059803-$ or US-5675259-$ or US-5704355-$ or US-6236366-$ or US-6256130-$ or US-5113065-$ or US-6104959-$ or US-5991605-$ or US-3924152-$ or US-5621331-$).did.	US-PGPUB; USPAT	OR	OFF	2010/04/09 11:00

S285	6	S284 and local	US-PGPUB; USPAT; USOCR	OR	OFF	2010/04/09 10:55
S284	20	("4427936" | "4507602" | "4521728" | "5274333").PN. OR ("5621331").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/04/09 10:55
S283	10	S282 and (reflect$3)	US-PGPUB; USPAT	OR	OFF	2010/04/09 10:49
S282	10	S281 and S275	US-PGPUB; USPAT	OR	OFF	2010/04/09 10:48
S281	25	S280 and microwave	US-PGPUB; USPAT	OR	OFF	2010/04/09 10:48
S280	44	(tuner adjuster) with (impedance) same (phase and (magnitude amplitude))	US-PGPUB; USPAT	OR	OFF	2010/04/09 10:48
S279	37	(tuner) with (impedance) same (phase and (magnitude amplitude))	US-PGPUB; USPAT	OR	OFF	2010/04/09 10:48
S278	6	S277 and local	US-PGPUB; USPAT	OR	OFF	2010/04/09 10:34
S277	23	S276 and microwave	US-PGPUB; USPAT	OR	OFF	2010/04/09 10:11
S276	33	S274 and S275	US-PGPUB; USPAT	OR	OFF	2010/04/09 10:09
S275	4082506	@ad<"20021127"	US-PGPUB; USPAT	OR	OFF	2010/04/09 10:09
S274	57	(impedance with matching) same (complex) same (phase same (amplitude magnitude))	US-PGPUB; USPAT	OR	OFF	2010/04/09 10:08
S273	20	S272 and phase	US-PGPUB; USPAT	OR	OFF	2010/04/06 15:08
S272	24	S271 and S237	US-PGPUB; USPAT	OR	OFF	2010/04/06 15:07
S271	68	S270 and microwave	US-PGPUB; USPAT	OR	OFF	2010/04/06 15:07
S270	333	heterodyne with (detection) with noise	US-PGPUB; USPAT	OR	OFF	2010/04/06 15:07
S269	17	S268 and S261	US-PGPUB; USPAT; USOCR	OR	OFF	2010/04/06 14:35
S268	30	S267 and microwave	US-PGPUB; USPAT; USOCR	OR	OFF	2010/04/06 14:35
S267	83	S266 and (ablation ablating ablate)	US-PGPUB; USPAT; USOCR	OR	OFF	2010/04/06 14:35
S266	6160	S263 and S264	US-PGPUB; USPAT	OR	ON	2010/04/06 14:35

S265	5	S262 and S263 and S264	US-PGPUB; USPAT	OR	ON	2010/04/06 14:35
S264	211543	(tune tuner change adjust adjuster) same (impedance reflected reflection)	US-PGPUB; USPAT	OR	ON	2010/04/06 14:35
S263	52170	(heterodyne (local near oscillator$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2010/04/06 14:34
S262	3007	microwave same (ablation ablating ablate)	US-PGPUB; USPAT; USOCR	OR	OFF	2010/04/06 14:34
S261	4082504	@ad< "20021127"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/04/06 14:33
S260	9	S259 and phase	US-PGPUB; USPAT	OR	OFF	2010/04/06 14:22
S259	20	S258 and (heterodyne local oscillator mixer)	US-PGPUB; USPAT	OR	OFF	2010/04/06 14:22
S258	57	S257 and S251	US-PGPUB; USPAT	OR	ON	2010/04/06 14:22
S257	41561	(tune tuner adjust adjuster) same (impedance reflected reflection)	US-PGPUB; USPAT	OR	ON	2010/04/06 14:21
S256	17580	(tune tuner adjust adjuster) same (impedance)	US-PGPUB; USPAT	OR	ON	2010/04/06 14:21
S255	85	S254 and (detect detector detection sensor sense)	US-PGPUB; USPAT	OR	ON	2010/04/06 14:20
S254	86	S253 and S237	US-PGPUB; USPAT	OR	OFF	2010/04/06 14:20
S253	132	S252 and phase	US-PGPUB; USPAT	OR	OFF	2010/04/06 14:20
S252	355	S251 and (heterodyne local oscillator mixer)	US-PGPUB; USPAT	OR	OFF	2010/04/06 14:19
S251	798	S250 and S232	US-PGPUB; USPAT	OR	OFF	2010/04/06 14:19
S250	3986	606/41.ccls.	US-PGPUB; USPAT	OR	OFF	2010/04/06 14:10
S249	1	S248 and phase	US-PGPUB; USPAT	OR	OFF	2010/04/06 14:09
S248	2	S247 and (heterodyne local oscillator mixer)	US-PGPUB; USPAT	OR	OFF	2010/04/06 14:09
S247	4	S242 and S232	US-PGPUB; USPAT	OR	OFF	2010/04/06 14:09
S246	2	S245 and S237	US-PGPUB; USPAT	OR	OFF	2010/04/06 14:08
S245	20	S244 and phase	US-PGPUB; USPAT	OR	OFF	2010/04/06 14:08

S244	52	S243 and (heterodyne local oscillator mixer)	US-PGPUB; USPAT	OR	OFF	2010/04/06 14:08
S243	221	S241 and S232	US-PGPUB; USPAT	OR	OFF	2010/04/06 14:08
S242	179	606/38.ccls.	US-PGPUB; USPAT	OR	OFF	2010/04/06 14:06
S241	594	606/33.ccls.	US-PGPUB; USPAT	OR	OFF	2010/04/06 14:06
S240	0	S239 and S228	US-PGPUB; USPAT	OR	OFF	2010/04/06 14:03
S239	14	S234 and ((detect detection sensor sense) with (reflected))	US-PGPUB; USPAT	OR	OFF	2010/04/06 13:58
S238	10	S236 and S237	US-PGPUB; USPAT	OR	OFF	2010/04/06 13:53
S237	4082504	@ad<"20021127"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/04/06 13:53
S236	45	S235 and (noise)	US-PGPUB; USPAT	OR	OFF	2010/04/06 13:53
S235	116	S234 and (reflected)	US-PGPUB; USPAT	OR	OFF	2010/04/06 13:53
S234	429	S233 and (heterodyne local oscillator mixer)	US-PGPUB; USPAT	OR	OFF	2010/04/06 13:53
S233	688	S232 and phase	US-PGPUB; USPAT	OR	OFF	2010/04/06 13:52
S232	2262	microwave with (ablate ablation)	US-PGPUB; USPAT	OR	OFF	2010/04/06 13:52
S231	7	S230 and (heterodyne local oscillator mixer)	US-PGPUB; USPAT	OR	OFF	2010/04/06 13:00
S230	9	S229 and phase	US-PGPUB; USPAT	OR	OFF	2010/04/06 12:54
S229	21	S228 and ghz	US-PGPUB; USPAT	OR	OFF	2010/04/06 12:50
S228	28	(US-20020112819-$ or US-20020105455-$ or US-20060273255-$ or US-20020158212-$ or US-20050256519-$).did. or (US-5788692-$ or US-7226446-$ or US-6802840-$ or US-6673068-$ or US-6471696-$ or US-6233490-$ or US-5405346-$ or US-5364392-$ or US-4315510-$ or US-4627442-$ or US-6020795-$ or US-5957969-$ or US-6890331-$ or US-5519359-$ or US-4059803-$ or US-5675259-$ or US-4550609-$ or US-5704355-$ or US-6236366-$ or US-	US-PGPUB; USPAT	OR	OFF	2010/04/06 12:50

		6256130-$ or US-5113065-$ or US-6104959-$ or US-5991605-$).did.				
S227	11	tuning same (adjustable with (complex with impedance))	US-PGPUB; USPAT	OR	OFF	2010/04/06 11:35

EAST Search History (Interference)

<This search history is empty>

4/9/2010 3:55:34 PM
C:\ Documents and Settings\ vchen2\ My Documents\ EAST\ Workspaces\ 10536721 tissue ablation apparatus and method of ablating.wsp